



194' Emergency Response Vessel

PRODUCT DESCRIPTION

194' Emergency Response Vessel

Length Overall 194 ft

Beam 55 ft

Depth 14ft

Light Draft 9 ft

Loaded Draft 12 ft

Tonnage 300 mt

Length 65 ft

Width 40 ft

Clear Area 2,600 sqft

Crane Nautilus 54 ton



Main Engines 2 x EMD 16 V 645 E7

Brake Horsepower 5700 BHP

Reduction Gears Reintjes Transmissions

Gear Ratio 4.26:1

Rudder 2 Spade Type

Propellers 2 – 128" D x 54" P

Auxiliary Generators 2 – 99 KW, 120 / 208

VAC, 3 Phase, 60 Hz

Drill / Potable Water 250 USD / Min @ 160ft

Fuel 200 USG / Min @ 160ft

Accommodations

Cabin / Berths 24 PAX (8 Cabins)

Officer's Cabins 4 Cabins

Crew Cabins 4 Cabins

Passengers 20 PAX

Mess Seating 10 PAX





Built / Rebuilt 1976 / 1995

Drill / Potable Water 107,000 USG

Potable Water (Ships) 19,000 USG

Fuel 120,000 USG

Engine Lube Oil 1,100 USG

Hydraulic Oil 1,000 USG

Tonnage

GRT 996 MT (ITC)

NRT 298 MT (ITC)

External FIF I Yes

Number of Monitors 2 @ 6000 GPM each

Bollard Pull 61 Tons

Maximum Speed 12 Knots (150 USG Per
Hour fuel consumption)

Cruising Speed 10 Knots (100 USG per
Hour fuel consumption)

Economy Speed 8.5 Knots (85 USG per
Hour fuel consumption)

Depth Sounder Inter Offshore M3000

GMDSS A3

GPS 2 x Furuno 25 Mile

ARPA

VHF 2 x Furuno

SSB 1 x SEA 222

Internet E-Mail Fleet Broadband

Weather Radio XM

Categories: [Tanker Vessels](#)

