



Modified Aluminum Lifeboat

PRODUCT DESCRIPTION

1988 Fully refurbished



Aluminum hull

Pair of CAT 3208T Diesel Engines completely rebuilt in 2015 and properly maintained on a regular basis.
Engine Hours differential based on power generation use.

Gross Tonnage 18.29 GT Registered Tonnage 14.99 GT.

Electrical

- 2 x 150amp, 24 volt DC Alternators , one per engine.
- 4 x Marine Deep Cycle 108Ah batteries Engine Starting Bank.
- 4 x Marine Deep Cycle 108Ah Storage Bank
- 24V Panels with 120V/1ph/60hz available via 3000w Pure Sine Wave Inverter on separate electrical panel.
- Shore Power 120V/1ph/60hz, 30A Connection on forward deck area.

Navigation Equipment

- Electronic Chart System Furuno NavNet TimeZero Touch 2 (12" in wheelhouse). and Raymarine C125 12 " chartplotter.
- Radar Raymarine Quantum 18" raydome.
- AIS EmTrak B-100 Class B Transponder.
- Depth Sounder, Furuno Rez Boost TZ Touch 2



with twin ES-600 transducers.

- Speed Log, Raymarine ST-50.
- Fluxgate Magnetic Compass , KXH Gyro Compass.
- Search Lights, Dual , ship powered , high wattage search lights , multiple handheld.
- Marine VHF Radios, 1 x ICOM M506 VHF-DSC with Command Mic (Wheelhouse) and 1 x ICOM M324 VHF-DSC radio (Flybridge).
- VHF Direction Finder ,Taiyo Model TD-L1520.
- Ships Whistle.

Safety Equipment.

- Fire Equipment. 1 x 33 ft Fire Hose with adjustable nozzle , engine driven fire pump , 2 x manual Dry Chemical and CO2 Fire Extinguishers . Pyrogen extinguishing system for engine room and fuel tank area.

Deck Equipment and Special Features.

- Working Deck Space, 50 sq ft Aft Deck, 100 sq ft Forward Deck
- A-Frame Crane 1000 lbs,WLL, 6 ft height, 3 ft width, 3 ft transom extension (@ 25 degrees) Small boat tender hoisting capability.
- Manual Davit Crane, 500 lbs WLL, 6 ft height, 4 ft side reach, 30 ft of cable on manual reel, deck mounts on Port and Starboard aft sides.
- Multi-Beam Echo Sounder Pole Mount, Stbd Side, Mid-Deck footing for pole support.
- Anchors 2 x 20 kg Delta Anchors and 30m anchor line and chain.
- Capstan, 5 Ton Rated Anchor / Line Handling Capstan
- Towing Posts, 2 x 25 Ton Rated Towing Posts Forward and Aft.
- 300ft of 1.25" double braided nylon Tow Line.
- 3 x 10ft Boat Hooks, fore deck and cabin mounted.

Categories: [Crew Boats](#)

Additional Information Fairey Mersey Class

Refurbished emergency lifeboat modified for use in



the commercial industry. The tunnel hull design with protected Nibral props, line cutters and low water pick up with strainers allows for beaching when needed. Videos are running video are cold start videos after sitting for months. Start and run perfectly.
<https://youtube.com/shorts/pSS9ViRZCtw?feature=share>
<https://youtube.com/shorts/2OXSCQMyK90?feature=share>

